

Affordable and reliable



MP 1600L2/MP2000LN2 Aficio[™]

Robust and long-lasting

The MP 1600L2/MP 2000LN2 are black-and-white A3 multifunctionals, designed for cost-effective copying, local printing via USB, and network scanning (MP 2000LN2). Their low Total Cost of Ownership and high durability make them ideal investments for a cost-conscious small office. A further advantage is their small footprint which saves office space. With a short warm-up time and a fast first copy/print speed, these devices increase office productivity. Standard duplex (MP 2000LN2), a high paper capacity and wide media handling capabilities extend their versatility. Full front access saves time during maintenance, while a 4-line display ensures easy operation.



- Low Total Cost of Ownership.
- Standard duplex (MP 2000LN2) saves time, paper and money.
- Fast: 16/20 pages per minute.
- User-friendly 4-line control panel.
- Network-ready as standard.

Cost-efficient copying





With the MP 1600L2/MP 2000LN2 you obtain an affordable A3 multifunctional with a low Total Cost of Ownership and high durability for a long lifetime of reliable operation. Make further savings in time, paper and money by creating double-sided prints and copies thanks to standard duplexing at simplex speeds (MP 2000LN2).



OPTIMISE YOUR PRODUCTIVITY

The MP 1600L2/MP 2000LN2 need less than 15 seconds to warm up, and produce their first print/copy in less than 6.5 seconds. In full flow, the devices effortlessly turn out 16/20 pages per minute to improve office productivity. For larger print/copy jobs, simply add one or two 500-sheet paper trays to increase paper capacity to an impressive 1,350/1,600 sheets. The 'Scan once, copy many' function is standard.



SIMPLE TO OPERATE

The 4-line display panel provides clear user instructions. Maximum uptime is ensured through full front access which speeds up maintenance and replacement procedures. Paper trays are provided with an optional handle for easier accessibility.

MP 1600L2/MP2000LN2 Aficio*





EASY NETWORKING

A high-speed USB 2.0 interface allows easy local printing. The MP 2000LN2 enables seamless network integration thanks to its Network Interface Card.

WIDE MEDIA VERSATILITY

Heavy or special paper can be utilized via the bypass tray, which also enables printing on envelopes. Best-in-class 600 dpi image quality allows you to produce professional, attractive documents in-house.





ENVIRONMENTALLY FRIENDLY

At Gestetner we help you lower the environmental impact of your office as well as lower your cost. The MP 1600L2/MP 2000LN2 have eco-friendly and money-saving features such as short warm-up time, ultra-low sleep mode, high toner yield and standard duplexing (MP 2000LN2). In addition, Gestetner products are Energy Star compliant. This means less C02 is produced in providing the energy needed to run Gestetner devices.

MP 1600L2/MP2000LN2 Aficio

COPIER

Copying process:	Laser beam scanning and electro- photographic printing
Copy speed:	16/20 copies per minute
Resolution:	600 dpi
Multiple copy:	Up to 99
Warm-up time:	Less than 15 seconds
First output speed:	Less than 6.5 seconds
Zoom:	50 - 200% (in 1% steps)
Memory:	Standard: 16 MB
Paper input capacity:	Standard: 1/2 x 250-sheet paper tray(s)
	100-sheet bypass tray
	Duplex tray (MP 2000LN2)
	Maximum: 1,350/1,600 sheets
Paper output capacity:	Standard: 250 sheets (internal tray)
Paper size:	Paper trays: A5 - A3
	Bypass tray: A6 - A3
Paper weight:	Paper trays: 60 - 90 g/m ²
	Bypass tray: 52 - 162 g/m ²
	Duplex tray (MP 2000LN2): 64 - 90 g/m ²
Reproduction ratios:	4 reductions: 50, 71, 82, 93%
	3 enlargements: 122, 141, 200%
Dimensions (W x D x H):	550/587 x 568 x 420/558 mm
Weight:	Less than 37/49 kg
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Maximum: Less than 1.2 kW

Print speed: 14 Printer language/resolution: S Interface: S Memory: S

Network protocol: Supported environments: 16/20 prints per minute Standard: GDI: 600 x 600 dpi Standard: USB 2.0, Ethernet 10 base-T/100 base-TX (MP 2000LN2) Standard: 64 MB TCP/IP v4 Windows® 2000/XP/Server 2003/Vista/ Server 2008/Windows® 7

Resolution: Original size: Bundled drivers: 600 dpi A5 - A3 TWAIN, Network TWAIN (MP 2000LN2)

OPTIONS

Platen cover 30-sheet Auto Document Feeder (MP 1600L2) 50-sheet Auto Reverse Document Feeder (MP 2000LN2) 100-sheet one-bin tray (MP 2000LN2) 1/2 x 500-sheet paper tray Accessibility handle option Cabinets Counter interface

Gestetner has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

For availability of models, options and software, please consult your local Gestetner supplier.

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2013 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/ or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.



Gestetner

www.gestetner.com

For more information, please contact



Works with Window Vistar

USB