
Gestetner

Compact multifunctionality



Reduced running costs and increased workflow

As a small business you need all-round performance at the lowest possible cost. That's what Gestetner gives you with the multifunctional SP 1200S/SP 1200SF. It prints, copies, scans and faxes (SP 1200SF) from one compact, desktop unit. It delivers professional document quality and effortless usability. Above all, the SP 1200S/SP 1200SF are as flexible and efficient as you have to be - day in, day out.

- High productivity (22 ppm)
- Space-saving footprint
- Professional results
- · Colour scanning
- · Easy maintenance





SMARTER PRODUCTIVITY

The SP 1200S/SP 1200SF print and copy at up to 22 B/W pages per minute. This is rapid printing for responsive businesses. With this comes 250 sheet paper capacity and a 35 sheet automatic document feeder. The result is faster turnaround times and increased productivity.



COMPACT RELIABILITY

Space is always at a premium. With their compact dimensions and footprint, the SP 1200S/SP 1200SF take up less desk- and office space. It also makes a real difference if you work from home. In addition, installation is simple and there is full-front access with minimal parts. It all adds up to lower costs, more reliability and less downtime.



PROFESSIONAL PRINTING, COLOUR SCANNING AND COPYING

A small business should communicate like a big business. Print resolution of 1200 dpi puts professional, attractive and legible documents in your hands. Scan to OCR and send direct to PC, email in hi-res colour, quickly and easily. ID card copy professionalises your administration with the ability to copy both sides of ID documents onto one paper side.















ADVANCED FAX CAPABILITY (SP 1200SF)

Dual access saves time by enabling you to scan and fax at the same time. Enjoy fast-fax with the Super G3 modem. With eight one touch dials, 200 speed dials plus automatic redial it does all the work for you.

EFFICIENT TONER AND DRUM SYSTEM

Unlike most desktop printers, the SP 1200S/SP 1200SF have a separate toner and drum. So, if one of them runs out you don't have to replace the other one as well. It's easy, it saves time and money, and it's environmentally responsible.





GREENER THINKING

Gestetner products are designed to be environment-friendly at every stage of their life. Our low-energy toner production methods are unique. Quick Start-up technology results in optimised use of the energy saver mode. The SP 1200S/SP 1200SF's power consumption is low, and operation is clean and quiet. Save paper with their manual duplex print function.

SP 1200s/SP 1200sf Aficio

PRINTER

22 prints per minute First print speed: Less than 10 seconds

Language: GDI/PCL6, PS3 (BR-Script3) Printer language/resolution:

Resolution: HQ 1,200 (2,400 x 600 dpi) Full speed USB 2.0

Interface: Memory 16/32 MB

Supported environments: Windows 2000 Professional, XP Home

Edition, XP Professional, XP Professional x64

Edition, Vista, Win7

COPIER

Copying process: Laser beam scanning & electro-photographic

printing with dry, mono-component toner

development

Copy speed: Up to 22 copies per minute¹ Resolution: 1,200 dpi (600 x 600 dpi)

Multiple copy: Up to 99

Warm-up time: Less than 18 seconds First copy speed: Less than 15 seconds 25 - 400% (in 1% steps) Paper input capacity: 1 x 250-sheet paper tray

1-sheet bypass tray Up to 35 sheets

ADF capacity: Paper output capacity: Face-down: 100 sheets

Face-up: 1 sheet (straight paper path) Standard tray: A4, Letter, B5 (ISO), A5, A6, Paper size:

Executive, Legal

Bypass tray: width 76.2 mm to 220 mm;

length 116 mm to 406.4 mm

ADF: width 148 mm to 215.9 mm; length 148

mm to 355.6 mm

Standard tray: 60 - 105 g/m² Paper weight:

Bypass tray: 60 - 163 g/m² ADF: 64 - 90 g/m²

Manual

Duplexing: Dimensions (W x D x H):

428 x 397 x 305 mm Weiaht: toner/drum incl. 11.1 kg

> toner/drum excl. 10 kg 220 - 240 V, 50 - 60 Hz

Power source: Power consumption: Copying: average 320 W Standby: average 75 W Sleep: average 9/10 W

∠ SCANNER

Full colour: 8.0 seconds Scan speed:

B/W: 5.3 seconds

Resolution Flat bed: maximum 600 x 2,400 dpi (colour &

ADF: maximum 600 x 600 dpi (colour & B/W) Flat bed: width up to 216 mm, length up to

297 mm

ADF: width up to 216 mm, length up to 356

mm

Bundled drivers: TWAIN, WIA

(S) SOFTWARE

Maximum original size:

Standard: Paperport

(FAX (SP 1200SF)

Circuit: PSTN. PABX Compatibility: Super G3 Modem speed: 33.6 Kbps

Compression method: MH / MR / MMR / JBIG Transmission speed: Approx. 2 seconds Memory backup: Up to 4 days

CONSUMABLES

Starter toner: Approx. 1,000 pages² Approx. 2,600 pages² Toner: Approx. 12,000 pages² The SP 1200S/SP 1200SF ship with a 1.000-sheet starter kit.

¹ Belgium, Spain: 9 cpm; Germany: 8 cpm.

² ISO/IEC 19752 colour measurement.

For availability of models, options and software, please consult your local Gestetner supplier.

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear

Copyright © 2013 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/ or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

www.gestetner.com





