

High colour productivity



Speed up your workflow

High productivity. High reliability. High quality. The MP C6501SP/MP C7501SP offer them all. Truly multifunctional with printer, scanner and optional fax, these colour MFPs conveniently replace individual office devices. One-pass duplex scanning streamlines your workflow while fast print speeds help your business run smoother.



- Optimal productivity: up to 70 (colour) and 75 (B/W) pages per minute.
- Fast one-pass duplex scanning: 115 (colour) to 125 (B/W) images per minute.
- Security and flexibility: data protection and handling of various media types.
- High efficiency: applications for personalised settings.
- Continuous operation: 7,400-sheet maximum paper capacity.

The professional office tools you need



TOP QUALITY COLOUR

Give your documents a professional edge by adding colour; it will help you get your message across better. Impress with the vibrancy and accuracy of the MP C6501SP/MP C7501SP's colour prints. Gestetner's PxP™ toner and state-of-the-art image processing technology ensure excellent registration and perfect colour density.



HIGHLY FLEXIBLE

Cut costs by reducing outsourcing, while maintaining the highest professional standards. The MP C6501SP/MP C7501SP handle a variety of paper types as heavy as 300 g/m² and in sizes up to A3+. Stationery, reports, handouts or flyers – you can produce them all in-house.



EASY OPERATION

Choose a user-friendly solution. The MP C6501SP/MP C7501SP are easy to install, use and service. Working with these multifunctional devices requires no special training. Their large colour LCD touch screens have a straightforward user interface. Toner and paper replacement are simple tasks, while animated procedures help you troubleshoot in seconds.



ADVANCED FINISHING

Add that special finishing touch – without leaving the office. Staple, punch, fold and sort documents. Create booklets with stapled or ringed bindings. Insert one or two covers. Spice up your documents with a broad range of booklet finishing options.

SECURE

Security is becoming more and more important. Prevent data abuse by erasing temporary information from the hard disk drive. Protect documents against unauthorised copying with the optional Copy Data Security Unit, which adds an invisible watermark to your printouts. Secure your print jobs with a PIN code to avoid others seeing the content of the prints.



ENVIRONMENTALLY FRIENDLY

At Gestetner we help you lower the environmental impact of your office as well as lowering your cost. Our products have eco-friendly and money-saving features such as fast duplex printing and copying, ultra low sleep mode, short warm-up time and increased toner yield. Thus, paper, time and energy are saved while waste and costs are reduced. In addition, Gestetner products are Energy Star compliant. This means less CO2 is produced in providing the energy needed to run Gestetner devices.

COPIER

Copying process:	4-drum dry electrostatic transfer system with internal transfer belt
Copy speed:	Full colour: 60/70 copies per minute B/W: 65/75 copies per minute
Resolution:	600 dpi
Warm-up time:	Less than 60 seconds
First output speed:	Full colour: Less than 7.5/6.4 seconds B/W: Less than 5.7/4.9 seconds
Memory:	Standard: 2,048 MB + 320 GB HDD (shared with printer function)
Paper input capacity:	Maximum: 7,400 sheets
Paper output capacity:	Maximum: 4,150 sheets
Paper size:	A6 - A3+ (305 x 458 mm)
Paper weight ¹ :	1st, 2nd paper trays: 52.3 - 216 g/m ² 3rd paper tray: 52.3 - 256 g/m ² Bypass tray: 52.3 - 300 g/m ² Duplex tray: 60 - 169 g/m ²
Dimensions (W x D x H):	750 x 850 x 1,230 mm
Weight:	Less than 298 kg
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Maximum: Less than 2.4 kW

PRINTER

CPU:	Intel® Pentium® M 1.4 GHz
Print speed:	Full colour: 60/70 prints per minute B/W: 65/75 prints per minute
Printer language:	Standard: PCL5c, PCL6, XPS Option: Adobe® PostScript® 3™
Resolution:	600 - 1200 dpi
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX, Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g), Bluetooth, Gigabit Ethernet
Network protocol:	TCP/IP, IPX/SPX, SMB, AppleTalk
Supported environments:	Windows® 2000/XP/Vista/7/Server 2003/Server 2008, Novell® NetWare® 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6.0, 6.5, UNIX Sun® Solaris 2.6/7/8/9/10, HP-UX 10.x/11.x/11i/2/11i/3, SCO OpenServer 5.0.6/5.0.7/6.0, RedHat® Linux 6.x/7.x/8.x/9.x/Enterprise, IBM® AIX v4.3/5L v5.1/v5.2/v5.3, SAP R/3 3.x or later, mySAP ERP 2004 or later, Macintosh 8.6 or later (OS X Classic), Macintosh OS X v10.1 or later (native mode) ²

SCANNER

Scan speed:	Full colour: Maximum 70 (simplex), 115 (duplex) ipm B/W: Maximum 82 (simplex), 125 (duplex) ipm
Resolution:	Maximum: 600 dpi
Original size:	A5 - A3+ (297 x 432 mm)
Output formats:	TIFF, PDF, High compression PDF, JPEG
Bundled drivers:	Network TWAIN
Scan to e-mail:	SMTP, TCP/IP
Scan to folder:	SMB, FTP, NCP protocol (with login security)

SOFTWARE SOLUTIONS

Standard:	SmartDeviceMonitor™, Web SmartDeviceMonitor™, Web Image Monitor doc-Q-manager, doc-Q-route, DeskTopEditor
Option:	For Production, DirectSmile, Fiery Central, PlanetPress Suite 5, PrintShop Mail, RDO print

FAX (OPTION)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3, additional G3 (option)
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	0.7 seconds (A4, SEF)
Memory capacity:	12 MB standard, 44 MB max.
Memory backup:	Yes

OTHER OPTIONS

2,000-sheet A3 large capacity tray (RT4000), 4,000-sheet A4 large capacity tray (RT43), A3 tray unit, 3,000-sheet finisher with 100-sheet stapler (SR5000), 3,000-sheet finisher with 50-sheet stapler (SR4030), 2,000-sheet booklet finisher (SR4040), Ring binder unit (RB5000), Professional booklet maker (BK5010e), GBC StreamPunch™ III, Jogger unit, 9-bin mailbox (CS391), 2-source cover interposer (for finisher SR5000), Cover interposer, Several punch kits, Multi-folding unit (FD5000), Copy tray, Tab sheet unit, Fax unit, SAF memory, 2nd Super G3 port, Copy Connect kit, File Format Converter, SD/USB interface, Browser unit, Data Overwrite Security Unit, Copy Data Security Unit, HDD encryption unit, Professional software solutions

¹ With required settings.

² Macintosh OS X v10.2 is not supported.

Gestetner has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

For availability of models, options and software, please consult your local Gestetner supplier.

